Housing(2)


(2454) Bellerophon House

TSM Survey – Court Report October 2023

Prepared by: Acuity Research & Practice

Extra Care South







88% Overall Satisfaction

Acuity was commissioned to undertake, independent satisfaction surveys of all Housing 21's residents, including retirement living and extra care, to collect data on their opinions of, and attitudes towards, their landlord and the services provided.

A survey questionnaire was sent to all residents. The survey was primarily conducted by post, but residents were also given the opportunity to complete the questionnaire online if they wished.

Population

Population	40
Responses	17
Response Rate	43%
Sampling Error	18%

*A statistic expressing the amount of random sampling error in the results of a survey. The larger the sampling error, the lower the reliability of the results.

Satisfaction Scores

Bellerophon House



88% Well maintained home



73% Anti-social behaviour

Housing(2)



88% Safe home



75% Listens & acts



92% Repairs - 12 months satisfaction



82% Treats fairly & with respect



75% Time taken - last repair



71% Keeps you informed



100% Communal areas clean & well maintained



75% Complaints handling



Positive contribution to neighbourhood



1% Housing management team

Benchmarking Bellerophon House




When considering Housing 21 as whole, the key metrics from the survey show that satisfaction among residents is high, 86% are satisfied with the overall services provided, with even higher satisfaction for the upkeep of the communal areas (90%) and provision of a safe home (89%).

All the remaining measures receive 70% or more satisfaction, apart from the handling of complaints where 47% are satisfied.


Satisfaction with the housing management team at the schemes is also high at 83%, and 86% feel they are treated fairly and with respect by Housing 21.

The chart opposite shows your court in comparison with the overall results for Housing 21, allowing you to benchmark against all other courts.



Top Comments









This research project was carried out to conform with ISO20252:2019 and the MRS Code of Conduct.

For further information on this report please contact:

Denise Raine: denise.raine@arap.co.uk

Acuity

Tel: 01273 287114

Email: acuity@arap.co.uk

Address: PO Box 395, Umberleigh, EX32 2HL





Back page





